



Ordering Code

Insertion Flowmeter

A	B	C	D	E	F	G	H	I	J	K	L

A: Power Supply

01	240 V AC, 50Hz
02	220 V AC, 60 Hz
03	110 V AC, 50Hz
04	120 V AC, 60 Hz

B: Flow Meter Size in mm

(B): Flow Meter Size in inches

01	DN 200 (8")
02	DN 250 (10")
03	DN 300 (12")
04	DN 350 (14")
05	DN 400 (16")
06	DN 450 (18")
07	DN 500 (20")
08	DN 600 (24")
09	DN 700 (28")
10	DN 800 (32")
11	DN 900 (36")
12	DN 1000 (40")
13	DN 1100 (44")
14	DN 1200 (48")
15	DN 1400 (56")
16	DN 1600 (64")
17	DN 1800 (72")
18	DN 1900 (76")
19	DN 2000 (80")
20	DN 2200 (88")
21	DN 2400 (96")
22	DN 2600 (104")
23	DN 2800 (112")
24	DN 3000 (120")
25	Any other

C: Liner Material

01	Teflon (PTFE)
02	Nylon
03	Any Other

D: Electrode Material

01	Stainless Steel 316
02	Hastelloy C
03	Any Other

E: Flange Material

01	Carbon Steel
02	Any Other

F: Flow Transmitter

01	Integral Without Display
02	Integral With Display*
03	Separate Without Display
04	Separate With Display*
	*Specify either engg. Unit or 0-100% Standard

G: Output Signal (Isolated)

01	4-20 mA DC
02	0-20 mA DC

H: Optional Output

01	Low Frequency
02	High Frequency
03	Nil
	(Consult Factory)

I: Micro-Processor Based Converter

01	With Communication
02	Without Communication

J: Specify Max. Flow Rate

K: Specify Media composition

L: For Separate Flow Transmitter

Specify maximum distance between Flow tube and flow transmitter, if not specified 10mtr cables are supplied.